

DIGITAL PRINT FINISHING SOLUTIONS

You print... ...We cut!





THE XLD 170 IS A HIGH PERFORMANCE FULLY AUTOMATIC CUTTER




With the FOTOBA CUT MARKS generated by the RIP and the TRUE IMAGE EDGE TRACKING, the cutting is executed with precise accuracy.(EU patent: EP 0 951 973 B1 - US patent: US 6,820,526 B1)



The XLD170 cuts a full roll in 12 minutes! *







Extremely easy roll loading



The Digitrim function enhances the versatility of XLD 170

CHARACTERISTICS

-Self squaring to the edge of the image (X)			-Memory channels to store different cut marks				
-Automatic tracking of the image edge (Y)			-All mechanisms controlled by stepper motors				
-Max linear speed 18 m/50 ft			-Automatic scanning of the cut marks				
-Vertical slicers: single, 8 mm double or adjustable double			-Self sharpening blade system				
-Adjustable cutting lengths and quantities for media conversion			-Accuracy: X ± 1mm(0.039in.) / Y ± 1mm(0.039in.)				
Model	Max Cutting Width cm/in	Min Cutting Width cm/in	Net Weight (kg)	Dimension (cm)	Shipping Weight (kg)	Shipping Dimension(cm)	
XLD 170	170/67	28/11	250	281x87x110H	515	303×103×145H	

^{*} Test made with 100mt roll (350ft) with 2mt long (78in.) posters



More informations at: www.fotoba.com



XLD 170E



The cutter senses the spaces between the posters, both in roll and sheet applications.

It is capable of cutting and adjustable distance exceeding the poster edge, automatically in both X/Y directions.

XLD 170HS

High speed version of the standard XLD.

Twice as fast. It trims 1000sqm in less than one hour.*

——A new double cutting system to enable a single cut operation (patented).

XLD 170WP

IT MAKES THE IMPOSSIBLE POSSIBLE

A special versio that features a perfect vertical cut for butt joint wallpaper applications.

It follows the image side with an accuracy of 0,06mm (0,002in).

Ideal for trimming multiple tiles of single images of standard wallpaper rolls.



ACCESSORIES


REW 104/160

The Fotoba Coreless Rewinder and the XLD170 creates a fully automated solution for cutting and rewinding applications.

Can rewind two rolls simultaneously, up to 20m long.



Can wind up tiles of the same job in the same roll for better logistic.



CHARACTERISTICS


Model	Net Weight Dimension (kg) (mm)		Shipping Weight (kg)		
REW 104	200	1592x1385x1090H	260	1840x1220x1500H	
REW 160	254	2144x1385x1090H	440	2390x1220x1500H	
Both Models	-Maximum ro ll e	ed diameter 9 cm	-Maximum rolled weight 8 kg		




HEAVY DUTY SUPPORT










JRU170 (Jumbo roll Unwinder)



ST170 (XLD170 output stacker)*

