


ARROW



ArrowJet
Aqua 330R - Hybrid **PRO**

Powered by **memjet**



- **High Resolution, High Durability**

Print with incredible 1600 x 1600 dpi resolution, wide color gamut, with high durability benefits of water based pigmented inkjet printing!

- **Incredible Production Print Speeds**

Print More, Faster! Even at incredible speeds the ArrowJet Aqua 330R Hybrid Pro can maintain peak resolution of 1600 x 1600 dpi at speeds up to 90 ft/min (27.4m/min), 1600 x 954 dpi at 150ft/min (45.7m/min) and 1600 x 640 dpi at 195ft/min (60m/min)

- **Large Production Capacities**


Standard unwinder and rewinder with an OD of 19.7" (500mm). Larger custom sizes available on request! built in edge guide and splicing station, setup is fast and easy, saving your time and reducing waste!

- **Uncontested Production Costs.**

Utilizing the latest digital printing technology, the ArrowJet Aqua 330R Hybrid Pro boasts one of the lowest production costs in the market! Fast setup, low waste, and long lasting printheads, all contribute to the cost savings of the ArrowJet Aqua 330R Hybrid Pro.

Optional Inline Priming Station

Inkjet coat your own materials inline.



Inline splicing station with grippers

helps to minimize waste and setup time, maximizing production efficiency



Automated edge guide

ensures perfect registration and consistent web path alignment when printing at high speeds up to 60 mtrs/min




High capacity, unwind/rewind

allows for rolls with an OD of up to 19"



Gap Sensor

For perfect registration printing on pre die cut or pre printed and die cut labels





- **Both Offline & Inline Options Available**

The ArrowJet Aqua 330R Hybrid Pro is available with both offline and inline finishing options. Arrow Digital Pvt. Ltd. has a number of digital and analog finishing solutions that can be paired with the Arrow Jet Aqua 330R Hybrid Pro to help create a seamless workflow for your business.

- **Reduced Material Costs**

Compared to water based dye inkjet printers, the coating weights required for our pigmented inks are greatly reduced, which reduces material costs and increases your bottom line. ArrowJet Aqua 330R Hybrid Pro is compatible with lower primer coats and even some uncoated stocks for maximum flexibility and reduced production costs.

- **Inline Flexo Stations for Priming and Varnishing**


The ArrowJet Aqua 330R Hybrid Pro offers optional inline priming and varnish stations. This allows customers to prime, print, and varnish, all in one pass.



Easy to use touch screen panel
allows you to control the web handling system Independently of the print engine.




CMYK single pass pigmented inkjet technology
allows for high resolution printing (1600x1600dpi) with the latest pigmented ink technology



Inline Varnish Station
Cut costs on expensive lamination with varnish



Robust web handling systems
offers impressive speeds of up to 195 ft/min (60m/min) with excellent print quality



Heavy duty frame
engineered for the most demanding production environments.

Flexible Packaging, Labels and more.....



Printing Color	CMYK Single Print head
Printing Resolution	1600 x 1600 dpi, 1600 x 954 dpi & 1600 x 640 dpi
Printing Speed	90 ft/min, 150 ft/min & 195 ft/min
Max Media Width	330 mm
Max. Printing Width	324 mm
Max. roll diameter	500 mm
	76 mm
Core Size Min. Substrate Thickness	0.05 mm
Max. Substrate Thickness	0.35 mm
Material Supported	Coated Paper, PP, PET, PVC, BOPP, Mylar, Tyvek etc.
ink capacity	2L or 10L CMYK Tank Options available
Printing platform	High Durability Pigmented Aqueous inkjet
Operating Temp.	68-86 F (20-30 C), Relative Humidity 30-50%
Storage Temp.	50-104 F (10-40 C), Relative Humidity 65%
Dimension (L x W x H)	177.6" x 66.9" x 51.6"
Power Requirements	Three Phase 220V / 400V
Air Source Requirements	6 Bar

Digital Label Finishers



Arrow EZCut 330R



Arrow EZCut 330A



ArrowCut Nova 250R



ArrowCut Nova 330R

Digital Blade Finishers

Digital Laser Finishers



1005-1006, Aditya - 10th Floor Opp. Sardar Patel Seva Samaj, Chimanlal Girdharlal Road,
Mithakhali, Navrangpura, Ahmedabad - 380006. Gujarat - India.
Tel: +91 79 2640 4017 / 18, +91 79 2640 5048 / 49



Demo Center - Ahmedabad

Branches - Delhi, Mumbai, Indore, Bangalore, Kolkata, Pune, Hyderabad, Chandigarh, Chennai