

Business expansion just got easy

Add more capacity and applications to your digital print business with a superwide production-level printer delivering high-quality imaging.

VUTEk® GS3250 LX Pro
Superwide Inkjet Printer





Lower costs with production level LED printing

With LED technology and increased productivity, the 3.2-metre EFI™ VUTEk® GS3250Lx Pro printer will help you offer more applications while lowering operating costs.



High-definition imaging and LED technology

- Deliver high-definition POP graphics with true greyscale technology, 1,000 dpi, and multilayer white ink printing
- Extend the range of supported substrates with innovative ink curing technology
- Increase uptime and productivity while reducing maintenance with instant on/off LED lamps
- Drive down operating costs with decreased power consumption, fewer consumable parts, and less waste with consistent colour output and simple operation
- Offer customers a greener printing solution

Continuous print productivity

- Take on more jobs and turn them faster with continuous print productivity with less than five seconds between boards
- Accurately align images using the precision alignment fence

Increased reliability and performance

- Maximise uptime with fewer parts, improved reliability standards, and easy troubleshooting
- Run multiple jobs at once with multi-queue functionality available at the user interface
- Integrate your EFI VUTEk system with EFI Web-to-Print and MIS/ERP solutions with native JDF connectivity

Features and benefits

- Production-level LED technology
- Eight-colour plus two white and single-pass, multilayer printing
- Switchable to Fast-4™ for high productivity
- Dual resolution: True 600 dpi (24 pL) or 1,000 dpi (12 pL) selectable
- Output up to 223 m²/hr and 60 – 1.2 m x 2.4 m boards per hour
- True variable drop greyscale print capability

Media/Handling

- Handles flexible and rigid substrates up to 3.2 m wide and up to 5.08 cm thick
- Multi-roll capable — two 152 cm rolls
- Optional heavy-duty unwinder (HDU)
- Optional extension table with casters

Productivity

- Fast-4: 223 m² per hour
 - Production up to 60 – 1.2 m x 2.4 m boards per hour
- Eight-colour plus white – 111.4 m² per hour
 - Production up to 32 – 1.2 m x 2.4 m boards per hour

Environmental considerations

- Compressed air: 8–10 bar maximum at 340 l/m — dry air only (not included)
- Fully enclosed design for operator safety and environmental considerations
- Temperature: 20 °C to 30 °C
- Humidity: 30% to 80% (non condensing)
- Machine weight: 3039 kg
- Height: 168 cm
- Width: 630 cm
- Depth: 168 cm
- Electrical: 3-Phase, 20 amps @ 200 – 230 volt supply or 10 amp @ 400 – 460 volt supply

Genuine EFI Inks

- Supplied in 5.0-litre containers
- Expanded gamut CMYK pigments for world-class Pantone® matching
- EFI pigment dispersions ensure optimised size and concentration for best-in-class ink stability

Enhanced Service Program (ESP)

- Thirteen months of Essential coverage, with 24-business hour (three-business day) response
- Eligible for upgrade to:
 - Critical: Providing 8-business hour (one-business day) response
 - ProActive: Providing 16-business hour (two-business day) response



ARROW DIGITAL PVT. LTD.

827, Pramukh Estate, Behind Prima Automation, Rakanpur, Ahmedabad, Gujarat, India - 382721.
Tel. : +91 70411 26568, +91 70411 26454

Arrow Digital Innovation Center - Ahmedabad

Branches : Ahmedabad, Bengaluru, Delhi, Indore, Kolkata, Mumbai, Pune, Surat

www.arrow-digital.com

sales@arrow-digital.com

Connect with us on...

