

Drive hard profits
with soft signs.

VUTEk® FabriVU 180/340



At a glance

- 1.8-meter and 3.4-meter wide aqueous-based soft signage printer models
- Dramatic four-color printing with a wide color gamut and deep color saturation for exceptional fabric display graphics
- Ultra-high resolution up to 2,400 dpi and four level grayscale printing with 4pL to 18pL drop sizes
- Ideal for the production of flags, banners, backlit displays, and other high-end display graphics
- Print direct to textile or transfer paper with the ability to changeover from one to the other
- Auto print head cleaning station increases printer uptime
- Capping station to keep your system up and running
- Patented ink recirculation system for improved ink yield
- Wrinkle detect system protects against costly repairs due to head strikes



EFI VUTEk FabriVU 180

Media/Handling

- Prints up to 70 in (180 cm) wide
- Fabric weight from 45 to 450 gr/m²
- Paper weight from 28 to 140 gr/m²
- Entry and exit: standard roll unwinder/rewinder up to 17.5 in (450 mm) outside diameter
- Dryer: heated platen

Resolution

Up to 2,400 dpi

Productivity

- Production speeds (max.) up to 4,305 ft² (400 m²) per hour
- Production image quality: 2,152 ft² (200 m²) per hour
- POP image quality: 1,420 ft² (132 m²) per hour

Formats

All popular desktop file formats, including PostScript®3™, EPS, TIFF, PDF, RGB/CMYK

Environmental considerations

- Temperature: 68-75 °F (20-24 °C)
- Humidity: 50-60%
- Weight: 6,613 lbs (3000 kg)

- Printer, platen, and winders dimensions (L x W x H): 90 in x 178 in x 71 in (230 cm x 454 cm x 180 cm)
- Printer electrical: 3 Phase, 400V, 50Hz, 35kW
- Water pressure: min. 22 psi (1.5 bar); max. 29 psi (2 bar)
- Water volume: 1.3 gallons (5 liters) per hour
- Water temperature: 68-77 °F (20-25 °C)

EFI Fiery proServer

- Color management workflow and RIP optimized for VUTEk printers*
- Advanced, yet easy-to-use, color tools for CMYK profile creation and quality control
- EFI ES-2000 spectrophotometer
- Powerful nesting, step and repeat, scaling, cropping, tiling, and cut marks production tools
- Fiery station, including furniture, keyboard, and mouse
- Two-day on-site Fiery color and workflow implementation services

* Check the latest Fiery proServer specifications and availability for this printer on efi.com

Genuine EFI Inks

Water based CMYK dispersed dye inks



EFI VUTEk FabriVU 340

Media/Handling

- Prints up to 133 in (340 cm) wide
- Fabric weight from 45 to 450 gr/m²
- Paper weight from 28 to 140 gr/m²
- Entry and exit: standard roll unwinder/rewinder up to 17.5 in (450 mm) outside diameter
- Dryer: heated platen

Resolution

Up to 2,400 dpi

Productivity

- Production speeds (max.) up to 5,381 ft² (500 m²) per hour
- Production image quality: 2,690 ft² (250 m²) per hour
- POP image quality: 1,776 ft² (165 m²) per hour

Formats

All popular desktop file formats, including PostScript®3™, EPS, TIFF, PDF, RGB/CMYK

Environmental considerations

- Temperature: 68-75 °F (20-24 °C)
- Humidity: 50-60%
- Weight: 10,582 lbs (4,800 kg)

- Printer and dryer dimensions (L x W x H): 90 in x 242 in x 71 in (230 cm x 615 cm x 180 cm)
- Printer electrical: 3 Phase, 400V, 50Hz, 35kW
- Water pressure: min. 22 psi (1.5 bar); max. 29 psi (2 bar)
- Water volume: 1.3 gallons (5 liters) per hour
- Water temperature: 68-77 °F (20-25 °C)

EFI Fiery proServer

- Color management workflow and RIP optimized for VUTEk printers*
- Advanced, yet easy-to-use, color tools for CMYK profile creation and quality control
- EFI ES-2000 spectrophotometer
- Powerful nesting, step and repeat, scaling, cropping, tiling, and cut marks production tools
- Fiery station, including furniture, keyboard, and mouse
- Two-day on-site Fiery color and workflow implementation services

* Check the latest Fiery proServer specifications and availability for this printer on efi.com

Genuine EFI Inks

Water based CMYK dispersed dye inks



ARROW DIGITAL PVT. LTD.

827, Pramukh Estate, Behind Prima Automation, Rakanpur, Ahmedabad, Gujarat, India - 382721.
Tel. : +91 70411 26568, +91 70411 26454

Arrow Digital Innovation Center - Ahmedabad

Branches : Ahmedabad, Bengaluru, Delhi, Indore, Kolkata, Mumbai, Pune, Surat

www.arrow-digital.com

sales@arrow-digital.com

Connect with us on...

